_EVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to letermine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE							
BUILDING OWNER'S NAME	POLICY NUMBER							
David Kap STREET ADDRESS (Including Ap	COMPANY NAIC NUMBER							
1816 Virgin	nia Aumore			Ü	COMPANT NAIC NUMBER			
OTHER DESCRIPTION (Lot and E	Block Numbers, etc.) OIK Z5, Para	el Maps	, page \$52,	Marin Co.	unty Records			
Novato				STATE CA	ZIP CODE 94945			
	SECTION B FL	OOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION				
Provide the following from the	ne proper FIRM (See	nstructions):						
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	(in AO Zones, use depth)			
060178	000Z	С	Sept. 29, 1989	AE				
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XNGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).								
			NG ELEVATION INFORM					
of 32.9 fee (b). FIRM Zones V1-V30, V the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accordance in the levation dat under Comments on Pag	t NGVD (or other FIRITIVE, and V (with BFE). s at an elevation of BFE). The floor used the highest grade adjictor used as the refere adjacent to the building dance with the commum system used in dee 2). (NOTE: If the ear, Item 7], then converted.	A datum—see The bottom of the bottom of the bottom of the bence level from the bence level fr	Section B, Item 7). of the lowest horizontal structure in the selected diagram is a depth number is available ain management ordinance above reference level elem used in measuring the element of the selection of the selected diagram is a depth number is available in management ordinance.	ructural member M datum—see So d diagram is feet a e, is the building ce? Yes vations: X NGN elevations is diffe	bove or below (check 's lowest floor (reference No Unknown			
4. Elevation reference mark	• ,	м: 🛛 Yes 🛭	No (See Instructions of	n Page 4)				
5. The reference level elevation is based on: A actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)								
5. The elevation of the lowest grade immediately adjacent to the building is: 136.6 feet NGVD (or other FIRM datum-see Section B, Item 7).								
	SE	CTION D CO	DMMUNITY INFORMATIO)N				
If the community official resist not the "lowest floor" as floor" as defined by the or 2. Date of the start of constructions.	defined in the comm dinance is:	unity's floodpl L.L. feet N	ain management ordinand IGVD (or other FIRM datu	ce, the elevation im-see Section I	idicated in Section C, Item 1 of the building's "lowest B, Item 7).			


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Dale A. White		Land Surveyor	LS# 4397				
CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)						
Dale A. White		Land Surveyor	LS# 439	7			
TITLE	COMPANY NA		,,				
Partner	White & Pr	-escott					
ADDRESS	CITY	,	STATE	ZIP			
1620 Grant Ave	Novato		CA	94945			
1620 Grant Ave SIGNATURE DALE A. White		act. 21, 1994	PHONE (415) 897-	7736			
Copies should be made of this Certificate for	: 1) community officia	al, 2) insurance agent/comp	any, and 3) building	owner.			
COMMENTS:		(EU)	LLEN SO				
		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)					
		70	0 1307 F A	-			
		TOTAL	a. W				
		STATE	OF CALIFORNIA				
			OT CHE				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.