## O.M.B. No 3067-007 Expires May 31, 199.

## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
Mike and Lynnette McCabe STREET ADDRESS (Including Apt., Unil, Suile and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					001101111111111111111111111111111111111
12 Easy Lane					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and it	Block Numbers, etc.)				
	24 PM 30, M	<u>arin Cou</u>	nty Records, A		
Novato		•	Cali	STATE fornia	ZIP CODE 9 4 9 4 7
	SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM		
Provide the following from the					
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE FLOOD					6. BASE FLOOD ELEVATION
060178	0002	С	9/29/89	AO	(in AO Zones, use depth)
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE: L	no BFE is provided o	n the FIRM, ar	nd the community has est	ablished a BFE fo	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION	
of	t NGVD (or other FIF/E, and V (with BFE) is at an elevation of LBFE). The floor used the highest grade accorrused as the referadjacent to the build dance with the commum system used in descent to the build dance with the commum system used in descent to the conversion of the conver	tM datum—see  The bottom of the bottom of the learnest to the bottom of the elevation datumnt the elevation.	Section B, Item 7). If the lowest horizontal state if feet NGVD (or other FIF) ince level from the selecter uilding. In the selected diagram is depth number is available ain management ordinance above reference level elem used in measuring the ensity to the datum system uses the system of the system uses	uctural member of M datum—see Set diagram is	ection B, Item 7).  Let above or  bove or below (check is lowest floor (reference)  No Unknown  D'29 Other (describe)  The rent than that used on
L. Elevation reference mark				-	
i. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons	ion drawings is only v ly be valid for the bui	alid if the build Iding during the	ling does not yet have the	reference level i	floor in place, in which ion Elevation Certificate
5. The elevation of the lowes Section B, Item 7).	st grade immediately	adjacent to the	building is:       4 L	.[3] feet NGVD (	or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO	N	
. If the community official re is not the "lowest floor" as floor" as defined by the ord Date of the start of constru	defined in the comm dinance is:	unity's floodpla	ations specifies that the rein management ordinanc GVD (or other FIRM datum 2/14/89	e, the elevation o	of the building's "lowest
E844 Form 91.31 844 V 00					

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME

Douglas J. Scranton California Professional Land Surveyor No. 5379

COMPANY NAME

Owner-Licensed Surveyor

ADDRESS

845 Olive Ave. Ste. 208 Novato, CA 94945


SIGNATURE

1/19/91 (415) 897-2663

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: Benchmark utilized for this certificate is City of Novato Benchmark: Chisled square in top of curb at SE corner of Novato Blvd. and McClay Road, Elevation 39.04 Feet, NGVD.

Reference elevation (finished floor) measured as 44.0 Feet, NGVD.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.