ELEVATION CERTIFICAT

O M B No 3067 0077 Expires May 31, 1993

FL RAL EMERGENCY MANAGEMENT AGLINCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMA). Instructions for completing this form can be found on the following pages.

ENLIDAGE OWNERS NAME KÎYĂ, AND ABMELIA GUISE STRETE ADDRESS (Including AM, Unit, Suits and oil Blidg Number) OR PO ROUTE AND BOX NUMBER COMPANY NAME ALUMBER 7. NAVE COURT CONTRO DESCRIPTION, user and Beach Numbers, etc) 1/2		SECTION A PR	OPERTY INFO	ORMATION		FOR INSURANCE COMPANY USE
SATE AND PRINCIPOLAGY AND LINE, Sust and one Bidg Number) ON PO ROUTE AND BOX NUMBER 7. Nave Court OTHER DESCRIPTION (started Block Numbers, etc.) 7. Nave Court Novato, SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1. COMMUNITY NUMBER 2. PAREL NUMBER 2. PAREL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 1. COMMUNITY NUMBER 2. PAREL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 1. COMMUNITY NUMBER 2. PAREL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 1. COMMUNITY NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 1. COMMUNITY NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 1. COMMUNITY NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE FLOOD ELEVATION 1. COMMUNITY NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE FLOOD ELEVATION 1. COMMUNITY NUMBER 7. NOVEL 1. SUFFIX AND SEE SECTION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8. 2. (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 11. 11.51.51 feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones A1-A30, AE, AH, and A (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram is at an elevation of 11. 11. 11. 11. 11. 11. 11. 11. 11. 11	- · · · · ·	-				·· ··· ····
The processing steam Book Numbers, etc) 170 10 10 10 10 10 10 10 10 10 10 10 10 10	<u>Kirk and Pamel</u>	a Gusse				OFICT NOMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) AT	STREET ADDRESS (Including A)	pt , Unit, Suite and or Bidg if	Number) OR PO	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1 COMMUNITY NUMBER 2 FANEL NUMBER 3 SUPINX 4 DATE OF FIRM INDEX 5 FIRM ZONE 6 EASE, FLOOD LELEVATION (IN ACCESSED) 1 COMMUNITY NUMBER 2 FANEL NUMBER 3 SUPINX 4 DATE OF FIRM INDEX 5 FIRM ZONE 6 EASE, FLOOD LELEVATION (IN ACCESSED) 1 COMMUNITY NUMBER 7 FANEL NUMBER 8 FOR ZONES A OF V, where no BFE is provided on the FIRM for Base Flood Elevations (BFE): X NOVD 29 Other (describe on ba 8 FOR ZONES A OF V, where no BFE is provided on the FIRM datum—see Section B, Item 7). SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level B. 2(a) FIRM ZONES A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of the ITEM datum—see Section B, Item 7). (b) FIRM ZONES V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram is at an elevation of LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL		District All All All All All All All All All Al				
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	ACA LACA	Block Numbers, etc.)				
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1 COMMUNTY NUMBER 2 FANEL NUMBER 3 SUFFIX 4 DATE OF FIRM INDEX 5 FIRM 20NE 6 EAST FLOOD ELEVATION 1 COMMUNITY NUMBER 1 PANEL NUMBER 3 SUFFIX 4 DATE OF FIRM INDEX 5 FIRM 20NE 6 EAST FLOOD ELEVATION 1 COMMUNITY NUMBER 1 PANEL NUMBER 1		71 01				
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1 COMMENTY NUMBER 2 FANEL NUMBER 3 SUPEX 4 DATE OF FIRM INDEX 5 FIRM ZONE 6 BASE FLOOD ELEVATION INFORMATION 1. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): \(\frac{1}{2} \) MOVD '29 \(\frac{1}{2} \) Other (describe on base from A or V, where no BFE is provided on the FIRM and the community has established a BFE for this building site, indicate the community's BFE: \(\frac{1}{2} \) If yet NGVD (or other FIRM datum-see Section B, Item 7). SECTION C BUILDING ELEVATION INFORMATION I. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level. B. SECTION C BUILDING ELEVATION INFORMATION I. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level. B. SECTION C BUILDING ELEVATION INFORMATION I. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level. SECTION C BUILDING ELEVATION INFORMATION I. Using the Elevation Certificate Instructions, indicate the diagram number from the selected diagram is at an elevation of \(\frac{1}{2} \) If IEM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level from the selected diagram is at an elevation of \(\frac{1}{2} \) If IEM Zone A (without BFE). The floor used as the reference level from the selected diagram is \(\frac{1}{2} \) If the floor one of the information of \(\frac{1}{2} \) If the selevation seed as the reference level from the selected diagram is \(\frac{1}{2} \) If the selevation seed in accordance with the community's floodplain management ordinance? \(\frac{1}{2} \) Yes \(\frac{1}{2} \) One (Check one) the highest grade	Novato,					ZIP CODE
Township from the proper FIRM (See Instructions): 1 COMMUNITY NUMBER 2 FAREL NUMBER 3 SUFFIX 4 DATE OF FIRM NDEX 5 FIRM ZONE 6 BASE FI CODELEVATION 1 AT DATE OF FIRM NDEX 5 FIRM ZONE 6 BASE FI CODELEVATION 1 AT DATE OF FIRM NDEX 5 FIRM ZONE 6 BASE FI CODELEVATION 1 AT DATE OF FIRM NDEX 5 FIRM ZONE 6 BASE FI CODELEVATION 1 AT DATE OF FIRM NDEX 5 FIRM ZONE 6 BASE FI CODELEVATION 1 AT DATE OF FIRM NDEX 5 FIRM ZONE 6 BASE FI CODELEVATION 1 AT DATE OF FIRM NDEX 6 BASE FI CODELEVATION 1 AT DATE OF FIRM ADDRESS OF THE NOWN IN THE NUMBER 6 BASE FI CODELEVATION 1 AT DATE OF THE NOWN IN THE NUMBER 6 BASE FI CODELEVATION 1 AT DATE OF FIRM DATE 6 BASE FI CODELEVATION 1 AT DATE OF FIRM DATE 7 AT DATE OF THE NOWN IN THE NUMBER 6 BASE FI CODELEVATION 1 AT DATE OF THE NOWN IN THE NUMBER 6 BASE FIRM THE OF THE NOWN IN THE NUMBER 6 BASE FIRM THE NOWN IN THE NUMBER 6 BASE FIRM THE NOWN IN THE NUMBER 6 BASE FIRM THE NOWN IN THE NO		SECTION B FL	LOOD INSURA	ANCE RATE MAP (FIRM) II		
D60178	Provide the following from t			,		
O60178	1 COMMUNITY NUMBER	2 PANEL NUMBER	3 SUFFIX	4 DATE OF FIRM INDEX	5 FIRM ZONE	F FASS ELGOD SUSVATION
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): X NGVD '29 Other (describe on ba 6. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicated the Community's BFE: 1 teet NGVD (or other FIRM datum—see Section B, Item 7). SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level. B. (2a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1 1.5 1.5 feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of the selected diagram, is at an elevation of the selected diagram, is at an elevation of the building. If the selected diagram is 1 feet above or below (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 1 feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations: X NGVD 29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM flave Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2). (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will o	060178	0002	С	Sept. 29, 1989		(in AO Zones, use depth)
SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level. 8. 2(a) FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of \(\precedit \subseteq 1.5 \) [5 feet NGVD (or other FIRM datum-see Section B, Item 7). (b) FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of \(\precedit \subseteq 1.5 \) [5 feet NGVD (or other FIRM datum-see Section B, Item 7). (c) FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is \(\precedit \subseteq 1.5 \) [6 feet above \(\precedit \text{ or other FIRM datum-see Section B, Item 7).} (c) FIRM Zone AO. The floor used as the reference level from the selected diagram is \(\precedit \subseteq 1.5 \) [6 feet above \(\precedit \text{ or other FIRM datum-see Section B, Item 7).} (c) FIRM Zone AO. The floor used as the reference level from the selected diagram is \(\precedit \subset 1.5 \) [6 feet above \(\precedit \text{ or other FIRM datum-see Section B, Item 7).} (c) FIRM Zone AO. The floor used as the reference level from the selected diagram is \(\precedit \subset 1.5 \) [6 feet above \(\precedit \text{ or other one)} it he highest grade adjacent to the building. (d) FIRM Zone AO. The floor used as the reference level from the selected diagram is \(\precedit \subset 1.5 \) [6 feet above \(\precedit \text{ or other one)} it he building. (for one) the highest grade adjacent to the building. (for one) the highest grade adjacent to the building. (for one) the highest grade adjacent to the building devaluance? \(\precedit \text{ yes} \) No \(\precedit or NoTS: If the elevation datum used in measuring the elevations is different than that used on the FIRM and show the conversion equati	7. Indicate the elevation dat	um system used on ti	ho EIDM for D			
SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level. B. [2,4]. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of \(\precedit = \frac{11}{15} \). \(\precedit \) feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of \(\precedit = \frac{11}{15} \). \(\precedit \) feet NGVD (or other FIRM datum—see Section B, Item 7). (c). FIRM Zones A (without BFE). The floor used as the reference level from the selected diagram is \(\precedit = \precedit \) feet above \(\precedit \) or below \(\precedit \) (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is \(\precedit = \precedit \) feet above \(\precedit \) or below \(\precedit \) (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? \(\precedit \) Yes \(\precedit \) No \(\precedit \) Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) 3. Elevation reference mark used appears on FIRM: \(\precedit \) Yes \(\precedit \) No (See Instructions on Page 4) 5. The reference level elevation is based on: \(\precedit \) actual constructi	B. For Zones A or V, where	no BFE is provided a	nthe FIRM as	ase Flood Elevations (BFE);	LX NGVD '29	Other (describe on back)
SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8. 1. (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1.5 .5 feet NGVD (or other FIRM datum-see Section B, Item 7). 1. (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of 1.5 1.5 feet NGVD (or other FIRM datum-see Section B, Item 7). 1. (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is 1.5 feet above 0 or below (check one) the highest grade adjacent to the building. 1. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 1.5 feet above 0 or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown Unknown Unknown Unknown Unknown Unknown Under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is citierent than that used on the FIRM fsee Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2). 1. The reference level elevation is based on:	the community's BFE:	feet N	GVD for other	EIDM down and Out	olished a BFE fo	or this building site, indicate
I. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8. 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The fop of the reference level floor from the selected diagram is at an elevation of □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □						
Parameters of the selected diagram is at an elevation of \$\begin{array}{ c c c c c c c c c c c c c c c c c c c						
The reference level elevation is based on: X actual construction Construction drawings	2(a). FIRM Zones A1-A30, A of 1 15 . 5 fee (b). FIRM Zones V1-V30, V the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fi one) the highest grade level) elevated in accord. Indicate the elevation dat under Comments on Pagethe FIRM [see Section Englation under Comments	AE, AH, and A (with Bet NGVD (or other FIR VE, and V (with BFE), is at an elevation of L. BFE). The floor used the highest grade adjacent to the building dance with the commum system used in dee 2). (NOTE: If the est on Page 2.)	M datum—see M datum—see The bottom of the reference level from the bottom of the bottom of the bottom of the elevation datum of the elevation.	Section B, Item 7). of the lowest horizontal struct feet NGVD (or other FIRM ince level from the selected duilding. In the selected diagram is L idepth number is available, ain management ordinance above reference level elevance in used in measuring the elected to the datum system used.	datum—see Se diagram is feet ab is the building's? Yes It ions: X NGV vations is differed on the FIRM a	of the reference level from ction B, Item 7). I feet above or ove or below (check s lowest floor (reference) No Unknown D 29 Other (describe)
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) The elevation of the lowest grade immediately adjacent to the building is:	. Elevation reference mark	used appears on FIR	M: 📙 Yes 💆	No (See Instructions on F	Page 4)	
SECTION D COMMUNITY INFORMATION If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:	i. The reference level eleva (NOTE: Use of construct case this certificate will on	tion is based on: Xion drawings is only voily be valid for the built	actual constru	ction Construction draw	vings	loor in place, in which on Elevation Certificate
If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:	S. The elevation of the lowes Section B, Item 7).	st grade immediately a	adjacent to the	building is: 113/3	Bl feet NGVD (d	or other FIRM datum-see
If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:		SE	CTION D CO	MMUNITY INFORMATION		
	floor" as defined by the or	esponsible for verifying defined in the commit dinance is:	g building elev unity's floodpla	ations specifies that the refe ain management ordinance, GVD (or other EIRM detum	erence level inc	(4 km at language and a second


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIERS NAME	LICENSE NUMBER (or Affix Seal) LLS # 4397				
Dale A. White					
TITLE	COMPANY NAME				
Partner	White & Prescott				
ADDRESS	CITY	STATE	ZIP		
1620 Grant Avenue	Novato	CA	94945		
SIGNATURE a. White	6-23-94	PHONE (415) 897-773			
Copies should be made of this Certificate for	: 1) community official, 2) insurance agen	t/company, and 3) building	owner.		
COMMENTS:		GIO LAND	SUC		
		W ALLEY	4		
		1300	TE R		
		XXX G.	Chy (
		SATE OF CAN	I OR WIT		
		OT CHI			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.